

THE HULK COUPLING

STEEL REINFORCED UNIVERSAL COUPLING



THE MOST VERSATILE FERNCO COUPLING EVER!

ONE HULK COUPLING PER NOMINAL DIAMETER JOINS:

Cast Iron Clay Concrete

Ductile Iron Duriron Plastic Steel





UNIVERSAL SEWER & DRAIN REPAIR COUPLING




**THE
HULK
COUPLING**

STRONG. FLEXIBLE. STEEL REINFORCED UNIVERSAL COUPLING.



ONE COUPLING TO CONNECT THEM ALL

One Coupling Per Nominal Diameter Joins Various Pipe Materials



THE HULK COUPLING

Features

- One universal coupling connects most pipe materials.
- Heavy duty, multi-dimensional, non-shear coupling.
- Engineered for reliable underground pipe connections.
- Protects the pipe against ground movement.
- Corrosion resistant stainless steel.
- High torque clamps up to 120 in-lbs.
- Embedded with stainless steel rods for shear resistance.
- Complies with ASTM C 1173 and CSA B602.
- U.S. Patent Number: D956937.
- Proudly Made in the USA.

EXPERIENCE THE POWER OF THE

HULK

ONE HULK COUPLING PER NOMINAL DIAMETER JOINS:



Cast Iron



Clay



Concrete



Ductile Iron




Duriron



Plastic



Steel



BELOW GROUND PERFORMANCE

Embedded **Stainless Steel Rods** for Shear Resistance



UNIVERSAL FIT ULTIMATE CONVENIENCE

Every Work Truck's **Must-Have** Pipe Connector

APPROVED



PATENTED DESIGN STANDARD APPROVED

U.S. Patent Number **D956937**

Complies with **ASTM C 1173** and **CSA B602**

One **HULK Coupling** Per Nominal Pipe Size Connects Most Common Pipe Materials.

Part #	Size	Dimensional Range
Hulk4	4"	4.20" - 5.60"
Hulk5*	5"	5.30" - 6.70"
Hulk6	6"	6.20" - 8.00"
Hulk8	8"	8.40" - 10.15"
Hulk10	10"	10.50" - 12.75"
Hulk12	12"	12.50" - 15.30"

*Use **Hulk5** Couplings for 4" Clay to 6" Plastic

